



Muti-function Edge Bander machine HK868P



Function of HK868plus



HK868plus consist of:

pre-milling→glue(two glue)→end trimming→rough trimming→fine trimming→corner tracking→scrap(1+2+3)→buffing1→buffing2

Syutech company is a manufacture of Panel saw, Edge Banding, CNC routers, CNC drilling machine, Manufacturing various production lines , and other woodworking machines from China, and base on own industry manufacture and official license for export & import business.Syutech has always been adhere to market-oriented since it is inception, innovation and beyond as the responsibility, cooperation and win-win as the goal, and exported to Asia, Africa, the Americas, Europe and other regions, universally praised by users at home and abroad.

Parameters

Model	HK868plus
Panel length	Min.150mm(corner trimming45x200MM)
Panel width	Min.40mm
Edge band width	10-60mm
Edge band thickness	0.4-3mm
Feeding speed	18-22-25m/min
Installed power	15kw 380V50HZ
Pneumatic power	0.7-0.9Mpa
Overall dimension	9500*1200*1650mmmm

Machine characteristics



1. The feeding base and rack are fixed in one piece, which has stronger stability compared to extended suspension
2. The control console adopts an upgraded Homag style lifting arm, which is more sturdy compared to the aluminum alloy lifting arm



The Homag model has a large display screen, intelligent control, and computer operation,
More stable transmission and higher efficiency



The motor is larger, the bearing capacity is greater, and the conveying is stable,
Equipped with a safety cover to avoid dust accumulation



1. Adopting the complete control of the Huichuan system, Huichuan frequency converter+PLC, and the complete HQD of the high-speed motor
2. 5 large pillars+11 small pillars+7 lifting boxes+dual motor control, faster speed and more stable running



1. Thickened bottom plate and side plate with solid material to ensure long-term stable operation and extend service life
2. The body is increased by 100mm, and the internal space is more spacious, making operation, adjustment, and cleaning more convenient



The vertical plate of the rack adopts a processing process of integrated bending, Plate edge sealing is more stable and accurate



Cabinet door and body edge sealing can be switched with one click, without the need for machine adjustment, Easy to operate, delicate edge sealing, no excess adhesive residue



Equipped with a fully enclosed heavy-duty body and 6 zigzag reinforced support legs, the overall appearance is high-end and atmospheric

Huichuan Electric Control System

A famous brand in China, The quality is the same as that for foreign brands



The entire machine is equipped with 10 functional modules,

High speed motor HQD,

Sensitive control, precise and efficient processing



t

The feed inlet comes with an automatic limit probe device



Options (need add money)

return conveyor




Quick Melt device



Narrow material auxiliary device



Liquid PUR melt device(one color)



Liquid PUR melt device(Two colors)




customer site



Sample

Sample Display



Solid Wood

MDF

Particle Board

Plywood

Melamine